

Index

Authors and subjects of articles in the body of the journal are indexed together. Co-authors of all articles are cross-referenced to the first author. Book reviews and abstracts are listed separately. (A), annotation; (E), editorial; (L), letter.

Key to issues and pages

Issue	Pages	Issue	Pages	Issue	Pages
No. 1	1-72	No. 5	289-360	No. 9	577-648
No. 2	73-144	No. 6	361-432	No. 10	649-720
No. 3	145-216	No. 7	433-504	No. 11	721-792
No. 4	217-288	No. 8	505-576	No. 12	793-864

A

- A3243G mitochondrial mutation associated with polymicrogyria, 704
 AACPDM Report - Resilience: an account of the 2002 AACPDM meeting, 70
 Abadie V see Raqbi F
 Abnormal rhythmic motor response in children with Attention-Deficit-Hyperactivity Disorder, 743
 Acidosis paradox: asphyxial brain injury without coincident acidemia, The, 353 (A)
 Ackerly S et al.: Proximal femoral resection for subluxation or dislocation of the hip in spastic quadriplegia, 436
 acupuncture see also Svedberg L
 Acute bilateral thalamic necrosis in a child with mycoplasma pneumoniae, 634
 Adams D see St James-Roberts I
 Adeniyi-Jones S see Llorente A
 ADHD
 and epilepsy in childhood, 50
 Fine and gross motor ability in males with, 525
 see also Attention-deficit-hyperactivity disorder
 Adults with cerebral palsy: walking ability after progressive strength training, 220
 Agostoni C et al.: Plasma long-chain polyunsaturated fatty acids through the first 12 months of life in infants with phenylketonuria, 257
 Ahonen T see Hannonen R
 Aitchison AM see van der Linden ML

- alcohol, Behavioural phenotype in foetal, syndrome and foetal alcohol effects, 179
 Al-Dahhan J et al.: Developmental risks and protective factors for influencing cognitive outcome at 5.5 years of age in very-low-birthweight children, 718 (L)
 Alexander J see MC Marks
 Alston RD et al.: Childhood medulloblastoma in northwest England 1954 to 1997: incidence and survival, 308
 Alternating hemiplegia of childhood: a syndrome inherited with an autosomal dominant trait, 833
 alternative medicine, Complementary and, use in families of children with cerebral palsy, 364
 Ambrosius WT see Dunn DW
 ambulation, Long-term outcome of neurosurgical untethering on neurosegmental motor and, levels, 551
 Ambulatory capacity in cerebral palsy: prognostic criteria and consequences for intervention, 786 (A)
 Anderson CJ et al.: Community integration among adults with spinal cord injuries sustained as children or adolescents, 129
 Andersson C et al.: Adults with cerebral palsy: walking ability after progressive strength training, 220
 Andreucci E see Fedrizzi E
 anesthetic, Effects of a topical, on non-socially maintained self-injurious behavior, 769
Annotations
 Acidosis paradox: asphyxial brain injury without coincident acidemia, The, 353 (A)
 Ambulatory capacity in cerebral palsy: prognostic criteria and consequences for intervention, 786 (A)

Index

Authors and subjects of articles in the body of the journal are indexed together. Co-authors of all articles are cross-referenced to the first author. Book reviews and abstracts are listed separately. (A), annotation; (E), editorial; (L), letter.

Key to issues and pages

Issue	Pages	Issue	Pages	Issue	Pages
No. 1	1-72	No. 5	289-360	No. 9	577-648
No. 2	73-144	No. 6	361-432	No. 10	649-720
No. 3	145-216	No. 7	433-504	No. 11	721-792
No. 4	217-288	No. 8	505-576	No. 12	793-864

A

- A3243G mitochondrial mutation associated with polymicrogyria, 704
 AACPDM Report - Resilience: an account of the 2002 AACPDM meeting, 70
 Abadie V see Raqbi F
 Abnormal rhythmic motor response in children with Attention-Deficit-Hyperactivity Disorder, 743
 Acidosis paradox: asphyxial brain injury without coincident acidemia, The, 353 (A)
 Ackerly S et al.: Proximal femoral resection for subluxation or dislocation of the hip in spastic quadriplegia, 436
 acupuncture see also Svedberg L
 Acute bilateral thalamic necrosis in a child with mycoplasma pneumoniae, 634
 Adams D see St James-Roberts I
 Adeniyi-Jones S see Llorente A
 ADHD
 and epilepsy in childhood, 50
 Fine and gross motor ability in males with, 525
 see also Attention-deficit-hyperactivity disorder
 Adults with cerebral palsy: walking ability after progressive strength training, 220
 Agostoni C et al.: Plasma long-chain polyunsaturated fatty acids through the first 12 months of life in infants with phenylketonuria, 257
 Ahonen T see Hannonen R
 Aitchison AM see van der Linden ML

- alcohol, Behavioural phenotype in foetal, syndrome and foetal alcohol effects, 179
 Al-Dahhana J et al.: Developmental risks and protective factors for influencing cognitive outcome at 5.5 years of age in very-low-birthweight children, 718 (L)
 Alexander J see MC Marks
 Alston RD et al.: Childhood medulloblastoma in northwest England 1954 to 1997: incidence and survival, 308
 Alternating hemiplegia of childhood: a syndrome inherited with an autosomal dominant trait, 833
 alternative medicine, Complementary and, use in families of children with cerebral palsy, 364
 Ambrosius WT see Dunn DW
 ambulation, Long-term outcome of neurosurgical untethering on neurosegmental motor and, levels, 551
 Ambulatory capacity in cerebral palsy: prognostic criteria and consequences for intervention, 786 (A)
 Anderson CJ et al.: Community integration among adults with spinal cord injuries sustained as children or adolescents, 129
 Andersson C et al.: Adults with cerebral palsy: walking ability after progressive strength training, 220
 Andreucci E see Fedrizzi E
 anesthetic, Effects of a topical, on non-socially maintained self-injurious behavior, 769
Annotations
 Acidosis paradox: asphyxial brain injury without coincident acidemia, The, 353 (A)
 Ambulatory capacity in cerebral palsy: prognostic criteria and consequences for intervention, 786 (A)

Annotations continued...

- Atypicality, intelligence, and age: a conceptual model of autistic spectrum disorder, 712 (A)
- Bases of western attitudes to consanguineous marriage, The, 135 (A)
- Consanguineous marriage and childhood health, 571 (A)
- Effects of gastrostomy feeding in children with cerebral palsy: an AACDPM evidence report, 415 (A)
- Glycogenosis Type V or McArdle's disease, 640 (A)
- Hyperbaric oxygen and cerebral palsy: no proven benefit and potentially harmful, 213 (A)
- Outcomes of infants and children with inflicted traumatic brain injury, 497 (A)
- Parental experience of participation in physical therapy for children with physical disabilities, 58 (A)
- Antony J see Wilmshurst JM
- Aparicio J see Berthier ML
- Aquired epileptic dysgraphia: a longitudinal study, 807
- Armstrong R: Cerebral palsy: why doesn't our knowledge advance more quickly? 579 (E)
- Arterial dissection complicating tonsillectomy, 638
- Aschoff A see Wolf NI
- Asenjo B see Berthier ML
- Ashtekar CS et al.: Acute bilateral thalamic necrosis in a child with mycoplasma pneumoniae, 634
- Ashworth A see Eickmann SH
- Asperger syndrome, Prosopagnosia in a preschool child with, 55
- asphyxia
- Effect of, on non-protein-bound iron and lipid peroxidation in newborn infants, 24
 - Whole-body cooling after perinatal, : a pilot study in term neonates, 17
- asphyxial brain injury, Acidosis paradox: , without coincident acidemia, The, 353 (A)
- Assessing the impact of pediatric epilepsy and concomitant behavioral, cognitive, and physical/neurologic disability: impact of the Childhood Neurologic Disability Scale, 152 attention
- Development of visual perception and, assessed by backward masking and application in children with epilepsy, 562
 - Modulation of spatial, in a child with developmental unilateral neglect, 282
- Attention-deficit-hyperactivity disorder
- with and without oppositional defiant disorder in 3- to 7-year-old children, 693
 - Abnormal rhythmic motor response in children with, 743 see also ADHD
- Atypicality, intelligence, and age: a conceptual model of autistic spectrum disorder, 712 (A)
- Austin JK
- see Buelow JM
 - see Dunn DW
- Autism
- spectrum disorders in children with active epilepsy and learning disability: comorbidity, pre- and perinatal background, and seizure characteristics, 724
 - Opioid peptides and dipeptidyl peptidase in, 121
 - primary pragmatic difficulties, and specific language impairment: can we distinguish them using psycholinguistic markers? 515
- autistic
- Atypicality, intelligence, and age: a conceptual model of spectrum disorder, 712 (A)
 - Comorbid, disorder and Tourette syndrome with localized mesencephalic, infrathalamic, thalamic, and striatal damage, 207
 - Prevalence of, spectrum disorder in children attending mainstream schools in a Welsh education authority, 377
- Ayyangar R see Hurvitz EA
- ## **B**
- Backes M see Laufersweiler-Plass C
- Bailin D see Kern L
- balance training, Effect of, on recovery of stability in children with cerebral palsy, 591
- Balint's syndrome in a 10-year-old male, 349
- Banaschewski T et al.: Premonitory sensory phenomena and suppressibility of tics in Tourette syndrome: developmental aspects in children and adolescents, 700
- Banta JF: Medical liability crisis: an international problem, 363 (E)
- Banu SH et al.: Profile of childhood epilepsy in Bangladesh, 477
- Barabas G see Robey KL
- Barber M see Webb E
- Barf HA et al.: Cognitive status of young adults with spina bifida, 813
- Bartlett DJ see Palisano RJ
- Bases of western attitudes to consanguineous marriage, The, 135 (A)
- Bates G and Wynne Willson S: Use of selective serotonin reuptake inhibitors in children with Pervasive Developmental Disorder: risk of treatment emergent mania, 359 (L)
- Bax MCO
- Comorbidities, 723 (E)
 - Developing Mac Keith 'College', 794 (E)
 - Fifty years of Scope, 3 (E)
 - Journey to Oslo, 651 (E)
 - Learning from less common disorders, 291 (E)
 - Management of physical disability, 435 (E)
 - Prevention requires identification – can we do it? 507 (E)
- Baynes K: Pyridoxine-dependent seizures and cognition in adulthood, 782
- Behavior and mental health problems in children with epilepsy and low IQ, 683
- Behavioural
- and emotional characteristics in children with Sotos syndrome and learning disabilities, 172
 - Assessing the impact of pediatric epilepsy and concomitant cognitive, and physical/neurologic disability: impact of the Childhood Neurologic Disability Scale, 152
 - phenotype in foetal alcohol syndrome and foetal alcohol effects, 179
 - problems in children and adolescents with spinal muscular atrophy and their siblings, 44
 - Motor, cognitive, and, disorders in children born very preterm, 97
- Bellinger D see Chiriboga CA
- Bellucci S see Vicari S
- Benedetti MG see Bottos M
- Ben-Pazi H et al.: Abnormal rhythmic motor response in children with Attention-Deficit-Hyperactivity Disorder, 743

- Berall G see Guerriere DN
- Bergman H see Ben-Pazi H
- Berthier ML et al.: Comorbid autistic disorder and Tourette syndrome with localized mesencephalic, infrathalamic, thalamic, and striatal damage, 207
- Berweck S et al.: Management of drooling: 10 years after the Consortium on Drooling 1990, 845 (L)
- Bibat G see Pillion JP
- Birch JM see Alston RD
- Bishai S see Paneth N
- Bittles AH
Bases of western attitudes to consanguineous marriage, The, 135 (A)
Consanguineous marriage and childhood health, 571 (A)
- Bjornson B see Giaschi D
- Blasco PA: Blasco replies, 845 (L)
- Blom I et al.: Prognosis of haemorrhagic stroke in childhood: a long-term follow-up study, 233
- Böhm B et al.: Böhm B et al. reply, 718 (L)
- bone mass, Prevalence of reduced, in children and adults with spastic quadriplegia, 12
- Bonnier B see Elliasson A-C
- Books Reviewed**
- Atkinson J: *The Developing Visual Brain*, 216
 - Barth PG (ed): *Disorders of Neuronal Migration*, 791
 - British Medical Association: *Consent, Rights and Choices in Health Care for Children and Young People*, 141
 - Cohen Jr M et al.: *Overgrowth Syndromes*, 429
 - Hellström-Westas L et al.: *An Atlas of Amplitude-Integrated EEGs in the Newborn*, 791
 - Ishaq Abu-Arafeh (ed): *Childhood Headache*, 429
 - Keating RF et al. (eds): *Tumours of the Pediatric Central Nervous System*, 142
 - Lane M and Russell DJ: *Gross Motor Function Measure (GMFM) Self-Instructional Training CD-ROM*, 847
 - Phelps L et al.: *Paediatric Psychopharmacology: Combining Medical and Psychological Interventions*, 141
 - Russell DJ et al.: *Gross Motor Function Measure (GMFM-66 & GMFM-88) User's Manual. Clinics in Developmental Medicine No.* 159, 847
 - Salzarulo P and Ficca G (eds): *Awakening and Sleep-Wake Cycle Across Development*, 216
 - Sandberg S (ed): *Hyperactivity and Attention Disorders of Childhood*, 430
 - Savelsbergh G et al. (eds): *Development of Movement Co-ordination in Children: Applications in the Fields of Ergonomics, Health Sciences, and Sport*, 848
 - Swischuk LE: *Imaging of the Cervical Spine in Children*, 141
 - Bosma JF see Gewolb IH
 - Botting N and Conti-Ramsden G: Autism, primary pragmatic difficulties, and specific language impairment: can we distinguish them using psycholinguistic markers? 515
 - Bottos M
and Gericke C: Ambulatory capacity in cerebral palsy: prognostic criteria and consequences for intervention, 786 (A)
 - et al.: Botulinum toxin with and without casting in ambulant children with spastic diplegia: a clinical and functional assessment, 758
 - Botulinum toxin
Effect of muscle activity and, dilution volume on muscle paralysis, 200
 - Botulinum toxin continued...
Ultrasound-guided, injection technique for the iliopsoas muscle, 829
with and without casting in ambulant children with spastic diplegia: a clinical and functional assessment, 758
 - Boudewyn Peters AC see Blom I
 - Bourke-Taylor H: *Melbourne Assessment of Unilateral Upper Limb Function: construct validity and correlation with the Pediatric Evaluation of Disability Inventory*, 92
 - Boyd SH see Banu SH
brain damage, Hemispatial neglect in young children with early unilateral, 160
 - Brainstem dysgenesis: report of five patients with congenital hypotonia, multiple cranial nerve involvement, and ocular motor apraxia, 489
 - Brantschen CCV see Macchi M
 - Breau L see Camfield C
bronchopulmonary dysplasia
Cervical accelerometry in preterm infants with and without, 442
Integration of suck and swallow rhythms during feeding in preterm infants with and without, 344
 - Brouwers P see Llorente A
 - Broyles S see Paneth N
 - Buelow JM et al.: Behavior and mental health problems in children with epilepsy and low IQ, 683
 - Burri SM see Macchi M
 - Butler Ch see Samson-Fang L
 - Butler C see Webb E

C

- Camacho A et al.: Vertebral artery fibromuscular dysplasia: an unusual cause of stroke in a 3-year-old child, 709
- Camfield C et al.: Assessing the impact of pediatric epilepsy and concomitant behavioral, cognitive, and physical/neurologic disability: impact of the Childhood Neurologic Disability Scale, 152
- Camfield P see Camfield C
- Cantagrel S see Debillon T
- Carden SM see Good WV
- Carlberg EB see Østensjø S
- Carlesimo GA see Vicari S
- Carlsson M et al.: Clinical and aetiological aspects of epilepsy in children with cerebral palsy, 371
- Cass H et al.: Findings from a multidisciplinary clinical case series of females with Rett syndrome, 325
- caudal myxopapillary ependymoma, Combination of, and dermal sinus: a single shared embryologic lesion? 568
- Cerebral palsy
Adults with, : walking ability after progressive strength training, 220
Ambulatory capacity in, : prognostic criteria and consequences for intervention, 786 (A)
Clinical and aetiological aspects of epilepsy in children with, 371
Complementary and alternative medicine use in families of children with, 364
Contributing factors to muscle weakness in children with, 542
Development of hand function among children with, : growth curve analysis for ages 16 to 70 months, 448

- Cerebral palsy continued...
- Effect of balance training on recovery of stability in children with, 591
 - Effect of environmental setting on mobility methods of children with, 113
 - Effects of gastrostomy feeding in children with, : an AACPDM evidence report, 415 (A)
 - Electrical stimulation of gluteus maximus in children with, : effects on gait characteristics and muscle strength, 385
 - Everyday functioning in young children with, : functional skills, caregiver assistance, and modifications of the environment, 603
 - Fatigue in adults with, in Norway compared with the general population, 296
 - Hand function in children with hemiplegic, : prospective follow-up and functional outcome in adolescence, 85
 - Health status of Australian children with mild to severe, : cross-sectional survey using the Child Health Questionnaire, 194
 - Hyperbaric oxygen and, : no proven benefit and potentially harmful, 213 (A)
 - Learning of grasp control in children with hemiplegic, 746
 - Life expectancy in pediatric patients with, and neuromuscular scoliosis who underwent spinal fusion, 677
 - Measures of muscle and joint performance in the lower limb of children with, 644
 - Object release under varying task constraints in children with hemiplegic, 240
 - Prevalence of drooling in children with, attending special schools, 613
 - Qualitative analysis of the benefits of strength training for young people with, A, 658
 - Randomized clinical trial of strength training in young people with, A, 652
 - rates among low-birthweight infants fell in the 1990s, 456
 - Reliability of classification of, in low-birthweight children in four countries, 628
 - why doesn't our knowledge advance more quickly? 579 (E)
 - see also Eliasson A-C
 - see also James P
 - see also Marois P
 - see also Svedberg L
 - Cervical accelerometry in preterm infants with and without bronchopulmonary dysplasia, 442
 - Chambers HG see MC Marks
 - Chan J see Madlom MM
 - Chang W-N see Tsirikos AI
 - CHARGE syndrome, Early prognostic factors for intellectual outcome in, 483
 - Charman T see Cass H
 - Charurat M see Llorente A
 - Childhood medulloblastoma in northwest England 1954 to 1997: incidence and survival, 308
 - Chiriboga CA et al.: Factors associated with microcephaly at school age in a very-low-birthweight population, 796
 - choroidal hemangioma see also Madlom MM
 - Clinical and aetiological aspects of epilepsy in children with cerebral palsy, 371
 - characteristics of language regression in children, 508
 - utility of the Duncan-Ely test for rectus femoris dysfunction during the swing phase of gait, 763
 - CNS see also Noeker M and Haverkamp F
 - cognition, Pyridoxine-dependent seizures and, in adulthood, 782
 - cognitive Assessing the impact of pediatric epilepsy and concomitant behavioral, and physical/neurologic disability: impact of the Childhood Neurologic Disability Scale, 152
 - Improved, and motor development in a community-based intervention of psychosocial stimulation in northeast Brazil, 536
 - Motor, and behavioural disorders in children born very preterm, 97
 - Speech, language, and, development in children with isolated sagittal synostosis, 34
 - status of young adults with spina bifida, 813
 - see also Al-Dahhana J
 - see also Terstegen C
 - coincident acidemia: Acidosis paradox: asphyxial brain injury without, The, 353 (A)
 - Colomer J see Fusco C
 - Combination of caudal myxopapillary ependymoma and dermal sinus: a single shared embryologic lesion? 568
 - Community integration among adults with spinal cord injuries sustained as children or adolescents, 129
 - Comorbid autistic disorder and Tourette syndrome with localized mesencephalic, infrathalamic, thalamic, and striatal damage, 207
 - Comorbidities, 723 (E)
 - Complementary and alternative medicine use in families of children with cerebral palsy, 364
 - Connolly KJ see Rosenbloom L
 - Consanguineous marriage and childhood health, 571 (A)
 - Bases of western attitudes to, The, 135 (A)
 - Conscious visual abilities in a patient with early bilateral occipital damage, 772
 - constraint induced movement therapy, Clinical experience of, in adolescents with hemiplegic cerebral palsy: a day camp model, 357 (L)
 - Conti-Ramsden G see Botting N
 - Contributing factors to muscle weakness in children with cerebral palsy, 542
 - Cook K see Elder GCB
 - Cooke RWI see Foulder-Hughes LA
 - coordination, Deficient, of associated postural adjustments during a lifting task in children with neurodevelopmental disorders, 731
 - Coplan J: Atypicality, intelligence, and age: a conceptual model of autistic spectrum disorder, 712 (A)
 - Corpus callosum and posterior fossa development in monozygotic females: a morphometric MRI study of Turner syndrome, 320
 - Cortinovis I see Macchi M
 - Costello A see Ellis M
 - Craig GM et al.: Why parents of children with neurodevelopmental disabilities requiring gastrostomy feeding need more support, 183
 - cranial assessment see also Ellis M
 - cranial nerve, Brainstem dysgenesis: report of five patients with congenital hypotonia, multiple, involvement, and ocular motor apraxia, 489

- crying. Individual differences in responsiveness to a neurobehavioural examination predict patterns of 1-week-old infants at home, 400
- CSF access device. Long-term risks and benefits of a separate, with ventriculoperitoneal shunting in childhood hydrocephalus, 28
- Curzon MEJ see Tahmassebi JF
- D**
- Dabney KW see Tsirikos AI
- Dammann O et al.: Maternal fever at birth and non-verbal intelligence at age 9 years in preterm infants, 148
- Damm-Stünitz U see Kuhtz-Buschbeck JP
- Daoud P see Debillon T
- Davies S et al.: A population survey of mental health problems in children with epilepsy, 292
- de Boer JB see Terstegen C
- de Jong FH see Terstegen C
- De Schryver ELLM see Blom I
- Debillon T et al.: Whole-body cooling after perinatal asphyxia: a pilot study in term neonates, 17
- Deficient coordination of associated postural adjustments during a lifting task in children with neurodevelopmental disorders, 731
- del Toro M see Roig M
- DeLong R: DeLong replies, 360 (L)
- den Ouden L see Paneth N
- Deonna T see Mayor Dubois CM
- dermal sinus. Combination of caudal myxopapillary ependymoma and: a single shared embryologic lesion? 568
- Developing Mac Keith 'College', 794 (E)
- Development
- Corpus callosum and posterior fossa, in monozygotic females: a morphometric MRI study of Turner syndrome, 320
 - Improved cognitive and motor, in a community-based intervention of psychosocial stimulation in northeast Brazil, 536
 - of hand function among children with cerebral palsy: growth curve analysis for ages 16 to 70 months, 448 (see also 644: Erratum)
 - of visual perception and attention, assessed by backward masking and application in children with epilepsy, 562
 - Speech, language, and cognitive, in children with isolated sagittal synostosis, 34
- Developmental
- Modulation of spatial attention in a child with, unilateral neglect, 282
 - Premoratory sensory phenomena and suppressibility of tics in Tourette syndrome: aspects in children and adolescents, 700
 - see also Al-Dahhanah J
see also Bates G
 - Dharmani C see Wilson S
 - diabetes. Neurocognitive functioning in children with Type-1, with and without episodes of severe hypoglycaemia, 262
 - diplegia
 - Botulinum toxin with and without casting in ambulant children with spastic, : a clinical and functional assessment, 758
 - diplegia continued...
 - Intrarater reliability of lower limb sagittal range-of-motion measures in children with spastic, 391
 - Reliability and validity of the Observational Gait Scale in children who have spastic, 4
- Djukic A see Wilson S
- Dobler VB et al.: Modulation of spatial attention in a child with developmental unilateral neglect, 282
- Dodd KJ
- et al.: Randomized clinical trial of strength training in young people with cerebral palsy, A, 652
 - see McBurney H
- Dreesmann M
- see Gölgé M
 - see Kuhtz-Buschbeck JP
- Drescher J see Dammann O
- drooling
- Prevalence of, in children with cerebral palsy attending special schools, 613
 - see also Berweck S
- Duff SV
- and Gordon AM: Learning of grasp control in children with hemiplegic cerebral palsy, 746
 - see Gordon AM
- Dumas HM see Haley SM
- Duncan-Ely test, Clinical utility of the, for rectus femoris dysfunction during the swing phase of gait, 763
- Dunn DW
- et al.: ADHD and epilepsy in childhood, 50
 - see Buelow JM
- Durand P see Debillon T
- Dureau P see Raqbi F
- Durkin M see Chiriboga CA
- Dutton GN see Gillen JA
- dysgraphia, Aquired epileptic, : a longitudinal study, 807
- E**
- Early
- neurodevelopmental markers predictive of mortality in infants infected with HIV-1, 76
 - prognostic factors for intellectual outcome in CHARGE syndrome, 483
 - recovery of walking in children and youths after traumatic brain injury, 671
- Ebinger F
- see Pietz J
 - see Wolf NI
- Eddye GE see Robey KL
- Effect(s) of
- asphyxia on non-protein-bound iron and lipid peroxidation in newborn infants, 24
 - a topical anesthetic on non-socially maintained self-injurious behavior, 769
 - balance training on recovery of stability in children with cerebral palsy, 591
 - environmental setting on mobility methods of children with cerebral palsy, 113
 - gastrostomy feeding in children with cerebral palsy: an AACPD evidence report, 415 (A)
 - muscle activity and botulinum toxin dilution volume on muscle paralysis, 200

- Eickmann SH et al.: Improved cognitive and motor development in a community-based intervention of psychosocial stimulation in northeast Brazil, 536
- Eidelman AI see Feldman R
- Elder GCB et al.: Contributing factors to muscle weakness in children with cerebral palsy, 542
- Eldridge B et al.: Uptime normative values in children aged 8 to 15 years, 189
- Electrical stimulation of gluteus maximus in children with cerebral palsy: effects on gait characteristics and muscle strength, 385
- Electrophysiological approach to the study of essential tremor in children and adolescents, 624
- Eliasson A-C see Gordon AM
- Eliez S see Fryer SL
- Elliasson A-C: Clinical experience of constraint induced movement therapy in adolescents with hemiplegic cerebral palsy: a day camp model, 357 (L)
- Ellis M et al.: Head growth and cranial assessment at neurological examination in infancy, 427 (L)
- Epilepsy
- ADHD and, in childhood, 50
 - and perisylvian polymicrogyria in a patient with Kabuki syndrome, 841
 - Assessing the impact of pediatric, and concomitant behavioral, cognitive, and physical/neurologic disability: impact of the Childhood Neurologic Disability Scale, 152
 - Autism spectrum disorders in children with active, and learning disability: comorbidity, pre- and perinatal background, and seizure characteristics, 724
 - Behavior and mental health problems in children with, and low IQ, 683
 - Clinical and aetiological aspects of, in children with cerebral palsy, 371
 - Development of visual perception and attention, assessed by backward masking and application in children with, 562
 - Population survey of mental health problems in children with, A, 292
 - Profile of childhood, in Bangladesh, 477
 - Stroke in the developing brain and intractable, : effect of timing on hippocampal sclerosis, 580
 - see also Noeker M and Haverkamp F
- epileptic, Aquired, dysgraphia: a longitudinal study, 807
- Errata 206, 360, 644
- Espezel H see Matsuba CA
- Essex C
- Essex replies, 647 (L)
 - Hyperbaric oxygen and cerebral palsy: no proven benefit and potentially harmful, 213 (A)
 - Everyday functioning in young children with cerebral palsy: functional skills, caregiver assistance, and modifications of the environment, 603
 - Evolution in a journal, 795 (E)
- F**
- Facial see also Madlom MM
- Factors associated with microcephaly at school age in a very low-birthweight population, 796
- Faragher B: How confident are you in your study? 219 (E)
- Farias ST see Baynes K
- Fastenau PS see Buelow JM
- Fatigue in adults with cerebral palsy in Norway compared with the general population, 296
- Fedrizzi E et al.: Hand function in children with hemiplegic cerebral palsy: prospective follow-up and functional outcome in adolescence, 85
- Feeding
- Effects of gastrostomy, in children with cerebral palsy: an AACDPM evidence report, 415 (A)
 - Integration of suck and swallow rhythms during, in preterm infants with and without bronchopulmonary dysplasia, 344
 - Why parents of children with neurodevelopmental disabilities requiring gastrostomy, need more support, 183
- see also Matsuba CA
- Feldman R and Eidelberg AI: Skin-to-skin contact (Kangaroo Care) accelerates autonomic and neurobehavioral maturation in preterm infants, 274
- Fernández-Alvarez E see Fusco C
- Fernell E see Jucaite A
- Ferrer I see Roig M
- Fifty years of Scope, 3 (E)
- Findings from a multidisciplinary clinical case series of females with Rett syndrome, 325
- Fine and gross motor ability in males with ADHD, 525
- Fisher LA see Hunter LC
- FitzPatrick DR see Keng WT
- foetal alcohol syndrome, Behavioural phenotype in, and foetal alcohol effects, 179
- Foguet A see Roig M
- Folic acid and prevention of birth defects, 360 (Erratum; see DMCN Vol. 44: 426–429)
- Forssberg H see Jucaite A
- Fosang AL et al.: Measures of muscle and joint performance in the lower limb of children with cerebral palsy, 664
- Foulder-Hughes LA and Cooke RWI: Motor, cognitive, and behavioural disorders in children born very preterm, 97
- Fragala MA see Haley SM
- Fraser WI see Webb E
- Fryer SL et al.: Corpus callosum and posterior fossa development in monozygotic females: a morphometric MRI study of Turner syndrome, 320
- Fusco C et al.: Electrophysiological approach to the study of essential tremor in children and adolescents, 624

G

gait

- Clinical utility of the Duncan-Ely test for rectus femoris dysfunction during the swing phase of, 763
 - Electrical stimulation of gluteus maximus in children with cerebral palsy: effects on, characteristics and muscle strength, 385
 - Reliability and validity of the Observational, Scale in children who have spastic diplegia, 4
 - Sensorimotor recovery in children after traumatic brain injury: analyses of, gross motor, and fine motor skills, 821
- Galea M
- see Eldridge B
 - see Fosang AL
- Ganesan V see Wraigie E
- Gasparroni V see Bottos M

- gastrostomy**
- Effects of, feeding in children with cerebral palsy: an AACPDM evidence report, 415 (A)
 - Mothers' decisions about, tube insertion in children: factors contributing to uncertainty, 470
 - Why parents of children with neurodevelopmental disabilities requiring, feeding need more support, 183
- Gayatri NA** see Ashtekar CS
- Gericke C** see Bottos M
- Gewolb IH**
- et al.: Integration of suck and swallow rhythms during feeding in preterm infants with and without bronchopulmonary dysplasia, 344
 - see Reynolds EW
- Giacomini KD** see Robey KL
- Giannini S** see Bottos M
- Giaschi D** et al.: Conscious visual abilities in a patient with early bilateral occipital damage, 772
- Gillberg C**
- see Kadesjö C
 - see Steffenburg S
- Gillen JA** and Dutton GN: Balint's syndrome in a 10-year-old male, 349
- Giovannini M** see Agostoni C
- Glutting J** see Tsirikos AI
- Glycogenosis Type V** or McArdle's disease, 640 (A)
- Gölige M**
- et al.: Grip force parameters in precision grip of individuals with myelomeningocele, 249
 - see Kuhtz-Buschbeck JP
- Good WV**
- et al.: Transient, idiopathic nystagmus in infants, 304
 - see Giaschi D
- Goodman R** see Davies S
- Goodwin J** see St James-Roberts I
- Gooskens RHJM**
- see Barf HA
 - see Schoenmakers MAGC
- Gordon AM**
- et al.: Object release under varying task constraints in children with hemiplegic cerebral palsy, 240
 - see Duff SV
- Gordon N:** Glycogenosis Type V or McArdle's disease, 640 (A)
- Gospé Jr. SM** see Baynes K
- Graham HK** see Eldridge B
- grasp, Learning of, control in children with hemiplegic cerebral palsy,** 746
- Gratacós M** see Roig M
- Griffiths PD** see Madlom MM
- Grip force parameters in precision grip of individuals with myelomeningocele,** 249
- Grooten W** see Andersson C
- gross motor ability, Fine and, in males with ADHD,** 525
- Gross-Tsur V** see Ben-Pazi H
- Guerra MQ** see Eickmann SH
- Guerriere DN** et al.: Mothers' decisions about gastrostomy tube insertion in children: factors contributing to uncertainty, 470
- Gulmans VAM** see Schoenmakers MAGC
- H**
- Hadders-Algra M** see Jucaite A
- haemorrhagic, Prognosis of, stroke in childhood: a long-term follow-up study,** 233
- Hagberg G** see Carlsson M
- Hägglöf B** see Kadesjö C
- Hajat C** see Wraigie E
- Haley SM** et al.
- Early recovery of walking in children and youths after traumatic brain injury, 671
 - Pompe disease and physical disability, 618
- Hand function**
- Development of, among children with cerebral palsy: growth curve analysis for ages 16 to 70 months, 448
 - in children with hemiplegic cerebral palsy: prospective follow-up and functional outcome in adolescence, 85 (see also 206: Erratum)
 - handedness, Psychological factors in pregnancy and mixed-, in the offspring, 557
- Hanlo PW** see Schoenmakers MAGC
- Hanna SE**
- et al.: Development of hand function among children with cerebral palsy: growth curve analysis for ages 16 to 70 months, 448
 - see Palisano RJ
- Hannonen R** et al.: Neurocognitive functioning in children with Type-1 diabetes with and without episodes of severe hypoglycaemia, 262
- Harezlak J** see Dunn DW
- Hart PE** see Powell HWR
- Harting I** see Wolf NI
- Hartmann M** see Wolf NI
- Haverkamp F** see Noeker M
- Hay DA** see Pitcher TM
- Haycock G** see Al-Dahhana J
- Hayward R** see Shipster C
- Hazlewood ME** see van der Linden ML
- head circumference, Stressful life events in pregnancy and, at birth,** 802
- Head growth** see also Ellis M
- Health status of Australian children with mild to severe cerebral palsy: cross-sectional survey using the Child Health Questionnaire,** 194
- hearing loss, Prevalence of, in Rett syndrome,** 338
- Hearst D** see Shipster C
- Hedegaard M** see Obel C
- Heinen F** see Berweck S
- Helders PJM** see Schoenmakers MAGC
- Hellsten M** see Andersson C
- hemiplegia, Alternating, of childhood: a syndrome inherited with an autosomal dominant trait,** 833
- hemiplegic**
- Hand function in children with, cerebral palsy: prospective follow-up and functional outcome in adolescence, 85
 - Learning of grasp control in children with, cerebral palsy, 746
 - Object release under varying task constraints in children with, cerebral palsy, 240
 - see also Eliasson A-C
 - see also Svedberg L

- Hemispatial neglect in young children with early unilateral brain damage, 160
- Henriksen TB see Obel C
- Hermansen MC: Acidosis paradox: asphyxial brain injury without coincident acidemia, *The*, 353 (A)
- Herron WJ see Hunter LC
- Heubi JE see King W
- Heyman I see Davies S
- Hillman SJ see van der Linden ML
- Hinton V see Chiriboga CA
- hip, Proximal femoral resection for subluxation or dislocation of the, in spastic quadriplegia, 436
- Hittleman J see Llorente A
- HIV-1, Early neurodevelopmental markers predictive of mortality in infants infected with, 76
- Hoggard N see Madlom MM
- Holditch-Davis D see Symons FJ
- Holm I see Jahnsen R
- Hoppe B
see Gölge M
see Kuhtz-Buschbeck JP
- Hossain M see Banu SH
- Hou C see Good WV
- How confident are you in your study? 219 (E)
- Hung P-C and Wang H-S: Polymicrogyria in monozygous twins and an elder sibling, 494
- Hunt S see St James-Roberts I
- Hunter LC et al.: Opioid peptides and dipeptidyl peptidase in autism, 121
- Hurvitz EA et al.: Complementary and alternative medicine use in families of children with cerebral palsy, 364
- Hutchinson S see Shumway-Cook A
- Huttl SRA see Eickmann SH
- Hwang JH see Kim HS
- hydrocephalus, Long-term risks and benefits of a separate CSF access device with ventriculoperitoneal shunting in childhood, 28
- Hyperbaric oxygen and cerebral palsy: no proven benefit and potentially harmful, 213 (A)
- oxygen therapy see also Marois P
- oxygenation see also James P
- hypoglycaemia, Neurocognitive functioning in children with Type-1 diabetes with and without episodes of severe, 262
- hypotonia, Brainstem dysgenesis: report of five patients with congenital, multiple cranial nerve involvement, and ocular motor apraxia, 489
- hypoxic-ischemic see also Nelson KB
- I**
- idiopathic, Transient, nystagmus in infants, 304
- Illert M see Gölge M
- Improved cognitive and motor development in a community-based intervention of psychosocial stimulation in northeast Brazil, 536
- Individual differences in responsiveness to a neurobehavioural examination predict crying patterns of 1-week-old infants at home, 400
- Instructions for contributors 143, 431, 719
- Integration of suck and swallow rhythms during feeding in preterm infants with and without bronchopulmonary dysplasia, 344
- intellectual, Early prognostic factors for outcome in CHARGE syndrome, 483
- intelligence
Atypicality, and age: a conceptual model of autistic spectrum disorder, 712 (A)
- Maternal fever at birth and non-verbal, at age 9 years in preterm infants, 148
- Intracerebral varicella-zoster virus reactivation in congenital varicella syndrome, 837
- Intrarater reliability of lower limb sagittal range-of-motion measures in children with spastic diplegia, 391
- IQ, Behavior and mental health problems in children with epilepsy and low, 683
- Ischaemic stroke subtypes in children and adults, 229
- Iturriaga C see Fusco C
- J**
- Jaeger M see Westhoff B
- Jahan A see Banu SH
- Jahnsen R et al.: Fatigue in adults with cerebral palsy in Norway compared with the general population, 296
- James P: Hyperbaric oxygenation for children with cerebral palsy 648 (L)
- Jan JE
see Giaschi D
see Matsuba CA
- Jan W see Wraigie E
- Jannoun L see Al-Dahhana J
- Jansen LMC et al.: Parental experience of participation in physical therapy for children with physical disabilities, 58 (A)
- Jaspan T see Ashtekar CS
- Jennekens-Schinkel A
see Barf HA
see Blom I
- Jennen-Steinmetz C see Weindrich D
- Jeong ST see Kim HS
- Jetton J see Paneth N
- Johnson A see Surman G
- joint, Measures of muscle and, performance in the lower limb of children with cerebral palsy, 664
- Jones GE see Hunter LC
- Jonkman EJ see Vermeulen RJ
- Journey to Oslo, 651 (E)
- Jouvet P see Debillon T
- Jucaite A et al.: Deficient coordination of associated postural adjustments during a lifting task in children with neurodevelopmental disorders, 731
- K**
- Kabuki, Epilepsy and perisylvian polymicrogyria in a patient with, syndrome, 841
- Kadesjö B see Kadesjö C
- Kadesjö C et al.: Attention-deficit-hyperactivity disorder with and without oppositional defiant disorder in 3- to 7-year-old children, 693
- Kanavakis E et al.: Alternating hemiparesis of childhood: a syndrome inherited with an autosomal dominant trait, 833
- Kangaroo Care, Skin-to-skin contact, accelerates autonomic and neurobehavioral maturation in preterm infants, 274

- Kaping K see Andersson C
 Kappelle LJ see Blom I
 Kartin D see Shumway-Cook A
 Katz-Salamon M see Böhm B
 Kelsey A see Alston RD
 Keng WT et al.: A3243G mitochondrial mutation associated with polymicrogyria, 704
 Kern L et al.: Effects of a topical anesthetic on non-socially maintained self-injurious behavior, 769
 Kerr Graham H
 see Dodd KJ
 see McBurney H
 Ketelaar M see Jansen LMC
 Khalifa N and von Knorring A-L: Prevalence of tic disorders and Tourette syndrome in a Swedish school population, 315
 Khan NZ see Banu SH
 Kilgour G et al.: Intrarater reliability of lower limb sagittal range-of-motion measures in children with spastic diplegia, 391
 Kim HS et al.: Effect of muscle activity and botulinum toxin dilution volume on muscle paralysis, 200
 King GA see Hanna SE
 King W et al.: Prevalence of reduced bone mass in children and adults with spastic quadriplegia, 12
 Kirk J see Elder GCB
 Koot HM see Terstege C
 Koudijs SM see Terstege C
 Krägeloh-Mann I: Krägeloh-Mann et al. reply, 71 (L)
 Krajci KA see Anderson CJ
 Krauspe R see Westhoff B
 Krumlinde-Sundholm L see Elliasson A-C
 Kuban KCK see Chiriboga CA
 Kugler K see Paneth N
 Kuhn L see Chiriboga CA
 Kuhtz-Buschbeck JP
 et al.: Sensorimotor recovery in children after traumatic brain injury: analyses of gait, gross motor, and fine motor skills, 821
 see Görgen M
 Kui LQ see Yu T
 Kulisevsky J see Berthier ML
 Kwon H see Fryer SL
- L**
 Lafeber HN see Vermeulen RJ
 language
 Autism, primary pragmatic difficulties, and specific impairment: can we distinguish them using psycholinguistic markers? 515
 Clinical characteristics of, regression in children, 508
 Speech, and cognitive development in children with isolated sagittal synostosis, 34
 Lara D see Berthier ML
 Late sequelae of low birthweight: mediators of poor school performance at 11 years, 463
 Laucht M see Weindrich D
 Laufersweiler-Plass C et al.: Behavioural problems in children and adolescents with spinal muscular atrophy and their siblings, 44
 Law MC see Hanna SE
 Lawson B see Alston RD
 Le Bihan C see Raqbi F
 Leahey L see Elder GCB
 learning disability(ies)
 Autism spectrum disorders in children with active epilepsy and, : comorbidity, pre- and perinatal background, and seizure characteristics, 724
 Behavioural and emotional characteristics in children with Sotos syndrome and, 172
 Learning
 from less common disorders, 291 (E)
 of grasp control in children with hemiplegic cerebral palsy, 746
 Lee PKW see Kim HS
 Lee YT see Kim HS
 Lehmkohl G see Laufersweiler-Plass C
 Leonard C see Hurvitz EA
 Lesch-Nyhan disease, Modes and patterns of self-mutilation in persons with, 167
 Levin R see King W
 Lewis SR see Gordon AM
 Life expectancy in pediatric patients with cerebral palsy and neuromuscular scoliosis who underwent spinal fusion, 677
 Lima ACV see Eickmann SH
 Lima MC see Eickmann SH
 Lim Function, Melbourne Assessment of Unilateral Upper, : construct validity and correlation with the Pediatric Evaluation of Disability Inventory, 92
 Lira PIC see Eickmann SH
 Llewellyn-Thomas H see Guerriere DN
 Llorente A et al.: Early neurodevelopmental markers predictive of mortality in infants infected with HIV-1, 76
 Lo TYM et al.: Long-term risks and benefits of a separate CSF access device with ventriculoperitoneal shunting in childhood hydrocephalus, 28
 Lobb GL see Mackey AH
 Long-term
 outcome of neurosurgical untethering on neurosegmental motor and ambulation levels, 551
 risks and benefits of a separate CSF access device with ventriculoperitoneal shunting in childhood hydrocephalus, 28
 low birthweight
 Cerebral palsy rates among, infants fell in the 1990s, 456
 Factors associated with microcephaly at school age in a very-, population, 796
 Late sequelae of, : mediators of poor school performance at 11 years, 463
 Reliability of classification of cerebral palsy in, children in four countries, 628
 see also Al-Dahhajah J
 Luger C see Sauerbrei A
 Lundeberg T see Svedberg L
 Lyonnet S see Raqbi F
 Lyons CJ see Giaschi D
- M**
 Macaya A see Roig M
 Macchi M et al.: Development of visual perception and attention, assessed by backward masking and application in children with epilepsy, 562

- Mackey AH et al.: Reliability and validity of the Observational Gait Scale in children who have spastic diplegia, 4
- Madlom MM et al.: Facial naevus flammeus with choroidal hemangioma and without intracranial involvement, 139 (L)
- Maeder Ingvar M see Mayor Dubois CM
- Magder L see Llorente A
- Makaroff KL and Putnam FW: Outcomes of infants and children with inflicted traumatic brain injury, 497 (A)
- Malek K see Llorente A
- Management of physical disability, 435 (E)
- Manandhar D see Ellis M
- Manly T see Dobler VB
- Mantovani JF: Not knowing, 75 (E)
- Marks MC et al.: Clinical utility of the Duncan-Ely test for rectus femoris dysfunction during the swing phase of gait, 763
- Marois P and Vanasse M: Hyperbaric oxygen therapy and cerebral palsy, 646 (L)
- Marshall A see Elder GCB
- Massetto N see Agostoni C
- Mateos F see Camacho A
- Maternal fever at birth and non-verbal intelligence at age 9 years in preterm infants, 148
- Matsuba CA et al.: Feeding difficulties in children with visual impairment with no other impairments, 427 (L)
- Mattsson E see Andersson C
- Mauk JE see Kern L
- Mayor Dubois CM et al.: Acquired epileptic dysgraphia: a longitudinal study, 807
- McArdle's disease, Glycogenosis Type V or, 640 (A)
- McBurney H et al.: Qualitative analysis of the benefits of strength training for young people with cerebral palsy, A, 658
- McCoy A
 see Eldridge B
 see Fosang AI
- McGrath MM see Sullivan MC
- McKeever P see Guerriere DN
- McNair P see Kilgour G
- McNally RJQ see Alston RD
- Measures of muscle and joint performance in the lower limb of children with cerebral palsy, 664
- Medical liability crisis: an international problem, 363 (E)
- Melbourne Assessment of Unilateral Upper Limb Function: construct validity and correlation with the Pediatric Evaluation of Disability Inventory, 92
- Mellins C see Llorente A
- memory, Visual and spatial working, dissociation: evidence from Williams syndrome, 269
- Menegazzo L see Macchi M
- mental health
 A population survey of, problems in children with epilepsy, 292
 Behavior and, problems in children with epilepsy and low IQ, 683
- microcephaly, Factors associated with, at school age in a very-low-birthweight population, 796
- Miles MS see Symons FJ
- Miller F see Tsirikos AI
- Ming QZ see Yu T
- Minns B see Keng WT
- Minns RA see Lo TYM
- mobility, Effect of environmental setting on, methods of children with cerebral palsy, 113
- Modes and patterns of self-mutilation in persons with Lesch-Nyhan disease, 167
- Modulation of spatial attention in a child with developmental unilateral neglect, 282
- Mofenson L see Llorente A
- monozygotic, Corpus callosum and posterior fossa development in, females: a morphometric MRI study of Turner syndrome, 320
- monozygous twins, Polymicrogyria in, and an elder sibling, 494
- Moreno T see Camacho A
- Morey J see Webb E
- Morisseau-Durand MP see Raqbi F
- Mothers' decisions about gastrostomy tube insertion in children: factors contributing to uncertainty, 470
- motor
 Abnormal rhythmic, response in children with Attention-Deficit-Hyperactivity Disorder, 743
- Brainstem dysgenesis: report of five patients with congenital hypotonia, multiple cranial nerve involvement, and ocular apraxia, 489
- cognitive, and behavioural disorders in children born very preterm, 97
- Fine and gross, ability in males with ADHD, 525
- Improved cognitive and, development in a community-based intervention of psychosocial stimulation in northeast Brazil, 536
- Long-term outcome of neurosurgical untethering on neurosegmental, and ambulation levels, 551
- Perinatal morbidity, mild, delay and later school outcomes, 104
- Sensorimotor recovery in children after traumatic brain injury: analyses of gait, gross, and fine motor skills, 821
- MRI, Corpus callosum and posterior fossa development in monozygotic females: a morphometric, study of Turner syndrome, 320
- Muñoz A see Camacho A
- muscle
 Contributing factors to, weakness in children with cerebral palsy, 542
- Effect of, activity and botulinum toxin dilution volume on muscle paralysis, 200
- Electrical stimulation of gluteus maximus in children with cerebral palsy: effects on gait characteristics and, strength, 385
- Measures of, and joint performance in the lower limb of children with cerebral palsy, 664
- myelomeningocele, Grip force parameters in precision grip of individuals with, 249
- Myles LM see Lo TYM

N

- Naidu S see Pillion JP
- Narrative based medicine, 147 (E)
- neglect, Hemispatial, in young children with early unilateral brain damage, 160
- Nelson KB: Defining hypoxic-ischemic birth events, 71 (L) neonates
- Predictive value of EEG in, with periventricular leukomalacia, 586
- Whole-body cooling after perinatal asphyxia: a pilot study in term, 17

- neurobehavioral
 Individual differences in responsivity to a, examination predict crying patterns of 1-week-old infants at home, 400
 Skin-to-skin contact (Kangaroo Care) accelerates autonomic and, maturation in preterm infants, 274
 Neurocognitive functioning in children with Type-1 diabetes, with and without episodes of severe hypoglycaemia, 262
 neurodevelopmental
 Deficient coordination of associated postural adjustments during a lifting task in children with, disorders, 731
 Early, markers predictive of mortality in infants infected with HIV-1, 76
 Why parents of children with, disabilities requiring gastrostomy feeding need more support, 183
 neuropathies, Peripheral, of infancy, 408
 neurosurgical untethering, Long-term outcome of, on neurosegmental motor and ambulation levels, 551
 Neville B see Banu SH
 Newbould MJ see Alston RD
 Newdick H see Surman G
 Newton R see Alston RD
 Ni P see Haley SM
 Nicholson G see Wilmshurst JM
 Noeker M and Haverkamp F: Neuropsychological deficiencies as a mediator between CNS dysfunction and inattentive behavior in childhood epilepsy, 717 (L)
 Nordahl G see Svedberg L
 normative, Uptime, values in children aged 8 to 15 years, 189
 Not knowing, 75 (E)
 nystagmus, Transient, idiopathic, in infants, 304
- O**
 O'Donnell M see Samson-Fang L
 O'Hare A see Hunter LC
 Obel C et al
 Psychological factors in pregnancy and mixed-handedness in the offspring, 557
 Stressful life events in pregnancy and head circumference at birth, 802
 Object release under varying task constraints in children with hemiplegic cerebral palsy, 240
 occipital, Conscious visual abilities in a patient with early bilateral, damage, 772
 ocular motor apraxia, Brainstem dysgenesis: report of five patients with congenital hypotonia, multiple cranial nerve involvement, and, 489
 Oestreich A see King W
 Oleari G see Fedrizzi E
 Olney B see Ackery S
 Olsen J
 see Obel C
 Olsson I see Carlsson M
 Opioid peptides and dipeptidyl peptidase in autism, 121
 oppositional defiant disorder, Attention-deficit-hyperactivity disorder with and without, in 3- to 7-year-old children, 693
 Østensjø S et al.: Everyday functioning in young children with cerebral palsy: functional skills, caregiver assistance, and modifications of the environment, 603
 Outcomes of infants and children with inflicted traumatic brain injury, 497 (A)
- Ouvrier R see Wilmshurst JM
 Owen L see Cass H
- P**
 Pagliano E see Fedrizzi E
 Palisano RJ et al.: Effect of environmental setting on mobility methods of children with cerebral palsy, 113
 Paneth N et al.: Reliability of classification of cerebral palsy in low-birthweight children in four countries, 628
 Papadimitriou A see Kanavakis E
 Papathanasiou-Klontza D see Kanavakis E
 paralysis, Effect of muscle activity and botulinum toxin dilution volume on muscle, 200
 Parental experience of participation in physical therapy for children with physical disabilities, 58 (A)
 Parveen M see Banu SH
 Pawlak J see Sauerbrei A
 Perinatal morbidity, mild motor delay, and later school outcomes, 104
 Peripheral neuropathies of infancy, 408
 periventricular leukomalacia, Predictive value of EEG in neonates with, 586
 Perkins SM see Buelow JM
 Pervasive Developmental Disorder see also Bates G and Wynne Willson S
 Peter B see St James-Roberts I
 phenylketonuria, Plasma long-chain polyunsaturated fatty acids through the first 12 months of life in infants with, 257
 physical therapy, Parental experience of participation in, for children with physical disabilities, 58 (A)
 Pick JP see Pitcher TM
 Pietz J et al.: Prosopagnosia in a preschool child with Asperger syndrome, 55
 Piller M see Macchi M
 Pillion JP et al.: Prevalence of hearing loss in Rett syndrome, 338
 Pilz DT see Keng WT
 Pitcher TM et al.: Fine and gross motor ability in males with ADHD, 525
 Plasma long-chain polyunsaturated fatty acids through the first 12 months of life in infants with phenylketonuria, 257
 pneumoniae, Acute bilateral thalamic necrosis in a child with mycoplasma, 634
 Poem Liardet T: To the God of Rain, 849
 Pohl KRE
 see Wraige E
 Pollard JD see Wilmshurst JM
 Pollock NP see Hanna SE
 Polymicrogyria
 A3243G mitochondrial mutation associated with, 704
 Epilepsy and perisylvian, in a patient with Kabuki syndrome, 841
 in monozygous twins and an elder sibling, 494
 Pompe disease and physical disability, 618
 Population survey of mental health problems in children with epilepsy, A, 292
 Post MWM see Barf HA
 Powell HWR et al.: Epilepsy and perisylvian polymicrogyria in a patient with Kabuki syndrome, 841
 Predictive value of EEG in neonates with periventricular leukomalacia, 586

- Premonitory sensory phenomena and suppressibility of tics in Tourette syndrome: developmental aspects in children and adolescents, 700
- preterm**
- Cervical accelerometry in, infants with and without bronchopulmonary dysplasia, 442
 - Integration of suck and swallow rhythms during feeding in, infants with and without bronchopulmonary dysplasia, 344
 - Maternal fever at birth and non-verbal intelligence at age 9 years in, infants, 148
 - Motor, cognitive, and behavioural disorders in children born very, 97
 - Skin-to-skin contact (Kangaroo Care) accelerates autonomic and neurobehavioral maturation in, infants, 274
- Prevalence of**
- autistic spectrum disorder in children attending mainstream schools in a Welsh education authority, 377
 - drooling in children with cerebral palsy attending special schools, 613
 - hearing loss in Rett syndrome, 338
 - reduced bone mass in children and adults with spastic quadriplegia, 12
 - tic disorders and Tourette syndrome in a Swedish school population, 315
- Prevention** requires identification – can we do it? 507 (E)
- Prevo AJH** see Barf HA
- Price R** see Shumway-Cook A
- Profile of childhood epilepsy in Bangladesh**, 477
- Prognosis of haemorrhagic stroke in childhood: a long-term follow-up study**, 233
- Prosopagnosia in a preschool child with Asperger syndrome**, 55
- Proximal femoral resection for subluxation or dislocation of the hip in spastic quadriplegia**, 436
- Psychological factors in pregnancy and mixed-handedness in the offspring**, 557
- Putnam FW** see Makaroff KL
- Pyridoxine-dependent seizures and cognition in adulthood**, 782

Q

- Qiu H** see Paneth N
- quadriplegia**
- Prevalence of reduced bone mass in children and adults with spastic, 12
 - Proximal femoral resection for subluxation or dislocation of the hip in spastic, 436
 - Qualitative analysis of the benefits of strength training for young people with cerebral palsy, A, 658

R

- Rabin JP** see Haley SM
- Radaelli G** see Agostoni C
- Rahman N** see Banu SH
- Randomized clinical trial of strength training in young people with cerebral palsy, A, 652
- range-of-motion, Intrarater reliability of lower limb sagittal, measures in children with spastic diplegia, 391
- Rapin I** see Wilson S

Raqbi F et al.: Early prognostic factors for intellectual outcome in CHARGE syndrome, 483

Rating D

- see Pietz J
- see Wolf NI

Rawoof VW see Pillion JP

Reck JF see Robey KL

Reddiough DS

- see Wake M
- see Fosang AL

Reilly S see Cass H

Reiss AL see Fryer SL

Reliability

- and validity of the Observational Gait Scale in children who have spastic diplegia, 4
- of classification of cerebral palsy in low-birthweight children in four countries, 628

Rett syndrome

- Findings from a multidisciplinary clinical case series of females with, 325

Prevalence of hearing loss in, 338

Reynolds EW

- et al.: Cervical accelerometry in preterm infants with and without bronchopulmonary dysplasia, 442

see Gewolb IH

Riionen R see Hannonen R

Rinkel GJE see Blom I

Ritz A see Kuhtz-Buschbeck JP

Riva E see Agostoni C

Robb JE see van der Linden ML

Robertson IH see Dobler VB

Robey KL et al.: Modes and patterns of self-mutilation in persons with Lesch-Nyhan disease, 167

Rockley B see Ackery S

Roig M et al.: Brainstem dysgenesis: report of five patients with congenital hypotonia, multiple cranial nerve involvement, and ocular motor apraxia, 489

Romeo A see Macchi M

Rosenbaum PL

see Hanna SE

see Palisano RJ

see Paneth N

Rosenblom L and Connolly KJ: Evolution in a journal, 795 (E)

Rossi LN see Macchi M

Rothenberger A see Banaschewski T

Roulet Perez E see Mayor Dubois CM

Rudnik-Schöneborn S see Laufersweiler-Plass C

Russell D

see Palisano RJ

see Hanna SE

S

sagittal

- Intrarater reliability of lower limb, range-of-motion measures in children with spastic diplegia, 391

Speech, language, and cognitive development in children with isolated, synostosis, 34

Saigal S see Paneth N

Saizou C see Debillon T

Salisbury H see Squier W

Salmon L see Wake M

- Salucci P see Bottos M
- Samson-Fang L et al.: Effects of gastrostomy feeding in children with cerebral palsy: an AACPDM evidence report, 415 (A)
- Sanocka U see Chiriboga CA
- Sarimski K: Behavioural and emotional characteristics in children with Sotos syndrome and learning disabilities, 172
- Sauerbrei A et al.: Intracerebral varicella-zoster virus reactivation in congenital varicella syndrome, 837
- Scamblor G see Craig GM
- Schmidt MH see Weindrich D
- Schmidt R see King W
- Schoenmakers MAGC et al.: Long-term outcome of neuro-surgical untethering on neurosegmental motor and ambulation levels, 551
- Schütz C see Gölge M
- Schwerin A see Berweck S
- scoliosis, Life expectancy in pediatric patients with cerebral palsy and neuromuscular, who underwent spinal fusion, 677
- Secher NJ see Obel C
- seizure(s)
- Autism spectrum disorders in children with active epilepsy and learning disability: comorbidity, pre- and perinatal background, and, characteristics, 724
 - Pyridoxine-dependent, and cognition in adulthood, 782
 - self-injurious
 - Effects of a topical anesthetic on non-socially maintained, behavior, 769
 - see also Symons FJ - self-mutilation, Modes and patterns of, in persons with Lesch-Nyhan disease, 167
- Seller K see Westhoff B
- Sensorimotor recovery in children after traumatic brain injury: analyses of gait, gross motor, and fine motor skills, 821
- serotonin reuptake inhibitors see also Bates G and Wynne Willson S
- Shalev RS see Ben-Pazi H
- Shen J see Buelow JM
- Shim JS see Kim HS
- Shinnar S see Wilson S
- Shipster C et al.: Speech, language, and cognitive development in children with isolated sagittal synostosis, 34
- Shumway-Cook A et al.: Effect of balance training on recovery of stability in children with cerebral palsy, 591
- Sie LTL see Vermeulen RJ
- Simón R see Camacho A
- Simson Nelson V see Hurvitz EA
- Sisodiya S
- see Squier W
 - see Powell HWR
- Skin-to-skin contact (Kangaroo Care) accelerates autonomic and neurobehavioral maturation in preterm infants, 274
- Skrinar M see Haley SM
- Slonims V see Cass H
- Somerville A see Shipster C
- Sommer C see Wolf NI
- Sotos syndrome, Behavioural and emotional characteristics in children with, and learning disabilities, 172
- spastic
- Botulinum toxin with and without casting in ambulant children with, diplegia: a clinical and functional assessment, 758
 - spastic continued...
 - Intrarater reliability of lower limb sagittal range-of-motion measures in children with, diplegia, 391
 - Prevalence of reduced bone mass in children and adults with, quadriplegia, 12
 - Proximal femoral resection for subluxation or dislocation of the hip in, quadriplegia, 436
 - Reliability and validity of the Observational Gait Scale in children who have, diplegia, 4
 - see also Svedberg L
- spatial
- Modulation of, attention in a child with developmental unilateral neglect, 282
 - Visual and, working memory dissociation: evidence from Williams syndrome, 269
- Speech, language, and cognitive development in children with isolated sagittal synostosis, 34
- Sperry L see Symons FJ
- spina bifida, Cognitive status of young adults with, 813
- spinal
- Behavioural problems in children and adolescents with, muscular atrophy and their siblings, 44
 - Community integration among adults with, cord injuries sustained as children or adolescents, 129
 - Life expectancy in pediatric patients with cerebral palsy and neuromuscular scoliosis who underwent, fusion, 677
- Spitz L see Craig GM
- Spoehr H-L see Steinhausen H-C
- Squier W et al.: Stroke in the developing brain and intractable epilepsy: effect of timing on hippocampal sclerosis, 580
- St James-Roberts I et al.: Individual differences in responsiveness to a neurobehavioural examination predict crying patterns of 1-week-old infants at home, 400
- Stackhouse J see Shipster C
- Stanghellie JK see Jahnsen R
- Steffenburg S et al.: Autism spectrum disorders in children with active epilepsy and learning disability: comorbidity, pre- and perinatal background, and seizure characteristics, 724
- Steffenburg U see Steffenburg S
- Steinhausen H-C et al.: Behavioural phenotype in foetal alcohol syndrome and foetal alcohol effects, 179
- Stephani U see Gölge M
- Stewart G see Elder GCB
- Story I see Fosang AL
- Stott NS
- see Kilgour G
 - see Mackey AH
- strength training
- Adults with cerebral palsy: walking ability after progressive, 220
 - Qualitative analysis of the benefits of, for young people with cerebral palsy, A, 658
 - Randomized clinical trial of, in young people with cerebral palsy, A, 652
- Stressful life events in pregnancy and head circumference at birth, 802
- Strijers RLM see Vermeulen RJ
- Stroke
- in the developing brain and intractable epilepsy: effect of timing on hippocampal sclerosis, 580

Stroke continued...

- Ischaemic, subtypes in children and adults, 229
 - Prognosis of haemorrhagic, in childhood: a long-term follow-up study, 233
 - Vertebral artery fibromuscular dysplasia: an unusual cause of, in a 3-year-old child, 709
- Suh Y-L see Kim HS
- Sullivan MC and McGrath MM: Perinatal morbidity, mild motor delay, and later school outcomes, 104
- Surman G et al.: Cerebral palsy rates among low-birthweight infants fell in the 1990s, 456
- Sutherland DH see MC Marks
- Svedberg L et al.: Electro-acupuncture in a child with mild spastic hemiplegic cerebral palsy, 503 (L)
- Symons FJ et al.: Early and self-injurious behavior in young children born at-risk: a preliminary analysis, 844 (L)

T

- Tahmassebi JF and Curzon MEJ: Prevalence of drooling in children with cerebral palsy attending special schools, 613
- Tata M see Giaschi D
- Taylor DC: Narrative based medicine, 147 (E)
- Taylor NF
 - see Dodd KJ
 - see McBurney H
- Terstegen C et al.: Salivary cortisol in children with cognitive impairment, 139 (L)
- Thomas D see Ashtekar CS
- Thomsen W see Webb E
- Tibboel D see Terstegen C
- tic(s)
 - Prevalence of, disorders and Tourette syndrome in a Swedish school population, 315
 - Premonitory sensory phenomena and suppressibility of, in Tourette syndrome: developmental aspects in children and adolescents, 700
- Tieman BL see Palisano RJ
- tonsillectomy, Arterial dissection complicating, 638
- Tourette syndrome
 - Comorbid autistic disorder and, with localized mesencephalic, infrathalamic, thalamic, and striatal damage, 207
 - Premonitory sensory phenomena and suppressibility of tics in, : developmental aspects in children and adolescents, 700
 - Prevalence of tic disorders and, in a Swedish school population, 315
- Transient, idiopathic nystagmus in infants, 304
- traumatic brain injury
 - Early recovery of walking in children and youths after, 671
 - Outcomes of infants and children with inflicted, 497 (A)
 - Sensorimotor recovery in children after, : analyses of gait, gross motor, and fine motor skills, 821
- Trauner DA: Hemispatial neglect in young children with early unilateral brain damage, 160
- tremor, Electrophysiological approach to the study of essential, in children and adolescents, 624
- Tsirikos AI et al.: Life expectancy in pediatric patients with cerebral palsy and neuromuscular scoliosis who underwent spinal fusion, 677
- Tupola S see Hannonen R

- Turner syndrome, Corpus callosum and posterior fossa development in monozygotic females: a morphometric MRI study of, 320
- Tyson J see Paneth N

U

- Uitdehaag BMJ see Vermeulen RJ
- Uiterwaal CSPM see Schoenmakers MAGC
- Ultrasound-guided botulinum toxin injection technique for the iliopsoas muscle, 829
- unilateral neglect, Modulation of spatial attention in a child with developmental, 282
- Uptime normative values in children aged 8 to 15 years, 189

V

- Valls-Solé J see Fusco C
- van der Knaap MS see Vermeulen RJ
- van der Linden ML et al.: Electrical stimulation of gluteus maximus in children with cerebral palsy: effects on gait characteristics and muscle strength, 385
- Vanasse M see Marois P
- Vandertop WP see Schoenmakers MAGC
- Vanpée M see Böhm B
- varicella syndrome, Intracerebral varicella-zoster virus reactivation in congenital, 837
- Vassella F see Macchi M
- Vazquez E see Roig M
- Veelken N see Dammann O
- Velentza S see Kanavakis E
- Velez-Borrás J see Llorente A
- Verduci E see Agostoni C
- Verhoef M see Barf HA
- Verity C see Dobler VB
- Vermeer A see Jansen LMC
- Vermeulen RJ et al.: Predictive value of EEG in neonates with periventricular leukomalacia, 586
- Vertebral artery fibromuscular dysplasia: an unusual cause of stroke in a 3-year-old child, 709
- Vicari S et al.: Visual and spatial working memory dissociation: evidence from Williams syndrome, 269
- Vice FL
 - see Gewolb IH
 - see Reynolds EW
- Villarejo A see Camacho A
- Villien L see Jahnsen R
- Visual
 - and spatial working memory dissociation: evidence from Williams syndrome, 269
 - Conscious, abilities in a patient with early bilateral occipital damage, 772
 - Development of, perception and attention, assessed by backward masking and application in children with epilepsy, 562
 - see also Matsuba CA
- Vitztum C see Ackerly S
- Vogel LC see Anderson CJ
- Vøllestad NK see Østensjø S
- von Gontard A see Laufersweiler-Plass C
- von Knorring A-L see Khalifa N

W

- Wade A see Shipster C
Wake M et al.: Health status of Australian children with mild to severe cerebral palsy: cross-sectional survey using the Child Health Questionnaire, 194
Walt SE see Mackey AH
Walter SD
 see Hanna SE
 see Palisano RJ
Wang H-S see Hung P-C
Ware J see Llorente A
Webb E et al.: Prevalence of autistic spectrum disorder in children attending mainstream schools in a Welsh education authority, 377
Weekes L see Cass H
Weijers EM see Terstegeen C
Weindrich D et al.: Late sequelae of low birthweight: mediators of poor school performance at 11 years, 463
Weir D see Elder GCB
Wenzelburger R see Gölgé M
Westhoff B et al.: Ultrasound-guided botulinum toxin injection technique for the iliopsoas muscle, 829
Weston V see Ashtekar CS
Whitehouse WP see Ashtekar CS
Whole-body cooling after perinatal asphyxia: a pilot study in term neonates, 17
Why parents of children with neurodevelopmental disabilities requiring gastrostomy feeding need more support, 183
Wigram T see Cass H
Wild A see Westhoff B
Williams syndrome. Visual and spatial working memory dissociation: evidence from, 269
Willms J see Steinhäusen H-C
Wilmshurst JM et al.: Peripheral neuropathies of infancy, 408
Wilson S et al.: Clinical characteristics of language regression in children, 508
Winkler Metzke C see Steinhäusen H-C
Wisbeach A see Cass H
Woerner W see Banaschewski T
Wolf NI et al.: Combination of caudal myxopapillary ependymoma and dermal sinus: a single shared embryologic lesion? 568

Wolfe CDA see Wraigie E

Wolfe R see Eldridge B

Wong PKH see Giaschi D

Wooliacott M see Shumway-Cook A

Woolrych J see Dobler VB

Wraigie E et al.

 Arterial dissection complicating tonsillectomy, 638

 Ischaemic stroke subtypes in children and adults, 229

Wutzler P see Sauerbrei A

Wynne Willson S see Bates G

X

- Xaidara A see Kanavakis E

Y

Young SA see Giaschi D

Youroukos S see Kanavakis E

Yu T et al.: Effect of asphyxia on non-protein-bound iron and lipid peroxidation in newborn infants, 24

Z

Zerres K see Laufersweiler-Plass C

Zesiger P see Mayor Dubois CM

Zupan V see Debillon T

2003 Supplements

British Paediatric Neurology Association (Suppl. 93)

International Conference on Cerebral Palsy, Quebec, Canada (Suppl. 94)

How soon will we prevent neurodisability in childhood? (Suppl. 95)

American Academy for Cerebral Palsy and Developmental Medicine (Suppl. 96)

European Academy of Childhood Disability (Suppl. 97)

DOI: 10.1017/S0012162203001609

